

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	("2863707").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/07/28 12:15
L2	2	("4903580").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/07/28 12:15
L3	2	("4817505").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/07/28 12:15
L4	2	("6928921").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/07/28 12:36
L7	1155	(418/94).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/07/28 12:48
L8	3678	(417/415,902,368,372).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/07/28 12:49
L9	1095	(92/181r,172).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/07/28 12:51
L10	962	(184/6.16,6.18).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/07/28 13:02
L11	172	10 and (hermetic\$4) and compressor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/28 13:03
L12	1	9 and (hermetic\$4) and compressor and lubricat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/28 13:14
L13	40	9 and compressor and lubricat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/28 13:14

L14	139	9 and (compressor or engine or pump) and lubricat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/28 13:15
L15	496	8 and (compressor and hermetic \$4) and lubricat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/28 13:21
L16	2	("2274942").URPN.	USPAT	OR	ON	2009/07/28 13:49
L17	131	7 and (compressor and hermetic \$4) and lubricat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/28 13:55
L18	2	"20090101442"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/28 14:05
L19	260	((MAKOTO) near2 (KATAYAMA)). INV.	EPO; JPO; DERWENT	OR	ON	2009/07/28 14:12
L20	0	("pistonwith(depthnear2groove) withoilwithlubricat\$3").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/07/28 14:34
L21	5	piston with(depth near2 groove) with oil with lubricat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/28 14:34
L22	69	(depth near2 groove)with oil with lubricat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/28 14:39
L23	7	22 same piston	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/28 14:40
L24	788	417/902	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/28 14:50
L25	10	24 and (hydrocarbon near2 refrigerant)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/28 14:50
L26	1949	piston with ((circular or semicircular) near4 groove)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/28 15:05
L27	69	26 and compressor and oil and lubricat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/28 15:06

L28	107	piston with (semicircular near2 groove)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/28 15:13
L29	14	28 and oil and lubricat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/28 15:14
L30	280	piston with (curve\$5 near2 groove)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/28 15:19
L31	51	30 and oil and lubricat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/28 15:19
L32	2	"20050265863"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/28 15:29
L33	23	("1302231" "1386766" "1464612" "1717750" "1854271" "2410405").PN. OR ("4075934").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/28 15:55
L34	685	(92/233-237).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/07/28 16:06
L35	74	34 and oil and lubricat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/28 16:06
L36	7	"5839351"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/28 16:50
L37	3	"5092747"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/07/28 16:51

7/ 28/ 2009 4:56:03 PM

C:\ Documents and Settings\ abayou\ My Documents\ EAST\ Workspaces\ 10576783.wsp